

# THE FIREWOOD GUY

Londonderry, NH 03053  
Established 1997 - NH Business License #260227  
(603) 437-0940

- All of our cordwood has been cut into uniform lengths and sold in a pre-stacked "fraction of a cord" unit.

**T314.c Heat-Treated Cordwood, Free Local Delivery Available and Free Stacking Available**

**12" cut and split mixed hardwoods;**

1/8 of a cord, (16 cu ft) .....	\$343.00
1/6 of a cord, (21.333 cu ft) .....	\$439.00
1/4 of a cord, (32 cu ft) .....	\$658.00
1/3 of a cord, (42.666 cu ft) .....	\$877.00

**16" cut and split mixed hardwoods;**

1/8 of a cord, (16 cu ft) .....	\$325.00
1/6 of a cord, (21.333 cu ft) .....	\$399.00
1/4 of a cord, (32 cu ft) .....	\$599.00
1/3 of a cord, (42.666 cu ft) .....	\$798.00

**20" cut and split mixed hardwoods;**

1/4 of a cord, (32 cu ft) .....	\$658.00
1/3 of a cord, (42.666 cu ft) .....	\$877.00

- Additional shipping charges apply over 5 mile radius from Derry, NH 03038
- Always keep enough fireplace wood on hand, before your next "Black-Outage" occurs in your neighborhood.

Cordwood (firewood) menu; **Re; CUBOID** measurements of each item:

**12" Lengths, cut and split:**

**1/8 of a cord, (16 cu ft); 3 rows x 43" W x 18" H  
or  
1 row x 43" W x 54" H**

**1/6 of a cord, (21.3 cu ft); 1 row x 43" W x 72" H**

**1/4 of a cord, (32 cu ft); 3 rows x 43" W x 36" H  
or  
2 rows x 43" W x 54" H**

**1/3 of a cord, (42.6 cu ft); 3 rows x 43" W x 48" H**

**1/2 of a cord, (64 cu ft); 3 rows x 43" W x 72" H**

**16" Lengths, cut and split:**

**1/8 of a cord, 16 cu ft); 1 row - 43" W x 40.5" H**

**1/6 of a cord, (21.3 cu ft); 1 row x 42" W x 54" H**

**1/4 of a cord, (32 cu ft); 2 rows x 43" W x 40.5" H = ( 1,050 lbs. )**

**1/3 of a cord, (42.6 cu ft); 2 rows x 43" W x 54" H**

**1/2 of a cord, (64 cu ft); 2 rows x 43" W x 81" H**

**20" Lengths, cut and split:**

**1/4 of a cord, (32 cu ft); 2 rows x 43" W x 33.25" H )**

**1/3 of a cord, (42.6 cu ft); 2 rows x 43" W x 42.5" H )**

**1/2 of a cord, (64 cu ft); 2 rows x 43" W x 66.5" H )**



STATE OF MAINE  
DEPARTMENT OF AGRICULTURE, CONSERVATION & FORESTRY  
MAINE FOREST SERVICE  
22 STATE HOUSE STATION  
AUGUSTA, MAINE 04333

JANET T. MILLS  
GOVERNOR

AMANDA E. BEAL  
COMMISSIONER

August 1, 2020

The Firewood Guy  
P.O. Box 182  
Derry, NH 03053

Dear Mr. John D. Tinkham,

I am writing in regard to your recent request to enter a compliance agreement with the Maine Forest Service allowing for the importation of heat-treated hardwood firewood sourced from Colton Enterprises, Inc. in Pittsfield, VT into Maine.

The Maine Forest Service has adopted USDA heat treatment standards T314-c designed to destroy various wood pests potentially found in regulated wood articles such as hardwood firewood, meaning heat-treated hardwood firewood must be subjected to a minimum core temperature of 71.1 °C (160.0 °F) for a duration of 75 minutes to be considered safe for import into Maine. Once this firewood has been heat-treated to USDA T314-c standards, it is no longer considered a regulated article, and therefore no longer requires a compliance agreement with the Maine Forest Service to enter Maine.

I have verified that heat-treated hardwood firewood produced by Colton Enterprises, Inc. meets USDA T314-c heat treatment standards. I have also verified that the kiln used by Colton Enterprises, Inc. to perform heat-treatment is certified by the Vermont Agency of Agriculture. The Maine Forest Service is therefore satisfied that heat-treated hardwood firewood sourced from Colton Enterprises, Inc. no longer poses a significant threat for the introduction of forest pests and can be imported into Maine without additional restrictions.

Although no compliance agreement with the Maine Forest Service is required in this instance, all heat-treated hardwood firewood entering Maine must still be accompanied by a certificate documenting heat-treatment. A copy of this certificate can be obtained from Colton Enterprises, Inc. to be used as documentation for heat-treated hardwood firewood sales by The Firewood Guy to Maine customers. Please feel free to use this letter as supplemental documentation that the Maine Forest Service recognizes the import of heat-treated hardwood firewood sourced from Colton Enterprises, Inc. by The Firewood Guy into Maine as an acceptable practice.

Sincerely,

Michael Parisio  
Forest Entomologist  
Maine Forest Service

PATTY CORMIER, DIRECTOR  
MAINE FOREST SERVICE  
18 ELKINS LANE, HARLOW BUILDING



PHONE: (207) 287-2791

WWW.MAINEFORESTSERVICE.GOV



Paul R. LePage  
GOVERNOR

STATE OF MAINE  
DEPARTMENT OF AGRICULTURE, CONSERVATION & FORESTRY  
DIVISION OF QUALITY ASSURANCE AND REGULATIONS  
28 STATE HOUSE STATION  
AUGUSTA, MAINE 04333-0028



Walter E. Whitcomb  
COMMISSIONER

Ronald E. Dyer  
Director

**FIREWOOD DELIVERY TRUCK MEASUREMENT**

DATE: 31 July 2015      COPY LEFT: Yes      INSPECTOR: Michael Kaldro

NAME AND TITLE OF PERSON CONTACTED: John Tinkman

COMPANY: The Firewood Guy      ADDRESS: PO Box 182

TOWN: Londonderry NH      ZIP CODE: 03053

TRUCK MAKE: Kenworth      MODEL:T300      PLATE #130 COMM NH

Truck body measured: 96 inches wide x 264 inches long x 108 inches high.  
Deductions:      Net total cubic inches:

**For 12 or 16 inch wood (180 cubic feet per loose thrown cord).**

- The wood must be leveled off to a height of \_\_\_\_\_ inches to equal 1 loose thrown cord.
- The wood must be leveled off to a height of \_\_\_\_\_ inches to equal 1.5 loose thrown cords.
- The wood must be leveled off to a height of \_\_\_\_\_ inches to equal 2 loose thrown cords

When level full the truck will hold \_\_\_\_\_ loose thrown cords of 12 or 16 inch wood.

**For 24 inch wood (195 cubic feet per loose thrown cord).**

- The wood must be leveled off to a height of \_\_\_\_\_ inches to equal 1 loose thrown cord.
- The wood must be leveled off to a height of \_\_\_\_\_ inches to equal 1.5 loose thrown cords.
- The wood must be leveled off to a height of \_\_\_\_\_ inches to equal 2 loose thrown cords.

When level full the truck will hold \_\_\_\_\_ loose thrown cords of 24 inch wood.

The wood must be stacked and leveled off to a height of 92 inches to equal 1 stacked cord.  
When stacked level full the truck/trailer will hold 5.875 stacked cords of wood.

Seal # 57956 was affixed to the truck body.  
The Company sells only by stacked measurement formula. NO LOOSE THROWN SALES

PHONE: (207) 287-3841

FAX: (207) 287-5576

Vermont Agency of Agriculture, Food and Markets,  
Plant Industry Section  
103 South Main Street, Laboratories Building  
Waterbury VT 05671-0101  
(802) 241-3544

**OUT-OF-STATE FIREWOOD COMPLIANCE AGREEMENT**

Compliance Agreement No. VTFW 10-0003

1. Treating Establishment Name and Address  
*Colton Enterprises Inc., 1697 Rt. 100/PO Box 688, Pittsfield VT 05762*
2. Facility Location  
*1697 Rt. 100, Pittsfield VT 05762*
3. Regulated Articles  
*Firewood (Packaged and/or bulk)*
4. Applicable State Rule(s) or Quarantine(s)  
*6 NYCRR Part 192.5 (New York State Firewood Quarantine)*
5. I/We agree to:

Handle, process and/or move regulated articles in accordance with the provisions of applicable rules or quarantines;  
Use all permits and/or certificates in accordance with instructions;  
Maintain and produce for inspection all records as may be required; and  
Carry out any additional conditions, treatments, precautions, and sanitary measures which may be required by the inspector with the following stipulations as attached:  
(Attachments? *New York Standards included below*)

6. I/we understand that failure to comply with the terms of this agreement may result in revocation of this agreement and/or other remedies allowed at 6 VSA, Chapters 1 and 84.

Signed *Ray G Colton* Title *Pres* Dated *08-26-2010*

The affixing of the signatures below validates this compliance agreement, which shall remain in effect until cancelled, revoked for noncompliance, or revised with consent of all signatory parties.

*Timothy F. Schmalz, State Plant Pathologist*  
Agency of Agriculture Official (name/title)

Signed *Timothy F. Schmalz* Dated *Aug. 24, 2010*

New York Standards for firewood treatment and labeling:

- (1) Firewood may be labeled "New York Approved - Treated Firewood/Pest Free" if accompanied by a firewood producer's certification that it was heat treated to achieve a minimum core temperature of 71° C (160 ° F) for a minimum of 75 minutes. Such treatment may employ kiln-drying or other heat treatments approved by the Agency that achieve this specification through use of steam, hot water, dry heat, or other methods.
- (2) A firewood producer's certification shall indicate the producer's name, legal address, and the village, town, or city of the business on a label, bill of sale or lading, purchase receipt or invoice accompanying the firewood.
- (3) Producers of "New York (or other applicable State) Approved - Treated Firewood/Pest Free" firewood shall maintain, for at least one year from the date of treatment, records documenting the treatment method(s) and volume(s) of firewood treated, and shall allow Agency officials to inspect such records and the treatment facilities upon request.